ELSEVIER

Analytica Chimica Acta 387 (1999) 327–329

ANALYTICA
CHIMICA
ACTA

Author Index

Alder, J.F., see Hunt, A.L. 207
Angnes, L., see Azevedo, C.M.N. 175
Angulo-Romero, F., see Wróbel, K. 217
Aoyagi, H., see Kitatsuji, Y. 181
Araki, K., see Azevedo, C.M.N. 175
Azevedo, C.M.N.
—, Araki, K., Toma, H.E. and Angnes, L.
Determination of sulfur dioxide in wines by gas-diffusion flow injection analysis utilizing modified electrodes with electrostatically assembled films of tetraruthenated porphyrin 175

Ballesteros, B., see Oubiña, A. 255
Bandel, K., see Rettberg, P. 289
Barceló, D., see Nunes, G.S. 245
Barceló, D., see Oubiña, A. 267
Barceló, D., see Penalva, J. 227
Barcelo, D., see Oubiña, A. 255
Baumstark-Khan, C.
—, Hellweg, C.E., Scherer, K. and Horneck, G.
Mammalian cells as biomonitors of UV-exposure 281
Baumstark-Khan, C., see Rettberg, P. 289
Becker, J.S.
—, Kerl, W. and Dietze, H.-J.
Nuclide analysis of an irradiated tantalum target of a spallation neutron source using high performance ion chromatography and inductively coupled plasma mass spectrometry 145
Bengmark, S., see Momeni, N. 21
Bonfil, Y.
—, Brand, M. and Kirowa-Eisner, E.
Determination of sub-μg l^{-1} concentrations of copper by anodic stripping voltammetry at the gold electrode 85
Bornscheuer, U.T., see Ji, H.-S. 39
Borremans, B., see Corbisier, P. 235
Brand, M., see Bonfil, Y. 85
Brown, N.L., see Corbisier, P. 235

Chianella, I., see Marrazza, G. 297
Choi, M.M.F.
— and Xiao, D.
Oxygen-sensitive reverse-phase optode membrane using silica gel-adsorbed ruthenium(II) complex embedded in gelatin film 197
Ciucu, A., see Nistor, C. 309

Corbisier, P.
—, van der Lelie, D., Borremans, B., Provoost, A., de Lorenzo, V., Brown, N.L., Lloyd, J.R., Hobman, J.L., Csöregi, E., Johansson, G. and Mattiasson, B.
Whole cell- and protein-based biosensors for the detection of bioavailable heavy metals in environmental samples 235
Costa Lima, J.L.F., see Martelli, P.B. 165
Cruz-Jiménez, G., see Wróbel, K. 217
Csöregi, E., see Corbisier, P. 235

Danielsson, B., see Momeni, N. 21
Danielsson, L.-G., see Luque-Pérez, E. 155
de Lorenzo, V., see Corbisier, P. 235
Dietze, H.-J., see Becker, J.S. 145

Emnéus, J., see Nistor, C. 309

Farré, M., see Nunes, G.S. 245
Fujimoto, Y., see Ohto, K. 61
Fukuzawa, M., see Hara, S. 121

Galve, R., see Oubiña, A. 255
Garcia-Valls, R.
—, Muñoz, M. and Valiente, M.
Selective separation of lanthanides by supported liquid membranes containing Cyanex 925 as a carrier 77
Ghous, T.
— and Townshend, A.
Flow injection determination of chlorpromazine by inhibition of glutamate dehydrogenase 47
González-Martínez, M.A., see Penalva, J. 227
Gorton, L., see Nistor, C. 309
Grabarczyk, M., see Korolczuk, M. 97
Greenway, G.M.
—, Haswell, S.J. and Petsul, P.H.
Characterisation of a micro-total analytical system for the determination of nitrite with spectrophotometric detection 1

Härmä, H.
—, Lehtinen, P., TakaloLehtinen, H. and Lövgren, T.
Immunoassay on a single microparticle: the effect of particle size and number on a miniaturized time-resolved fluorometric assay of free prostate-specific antigen 11

Hara, S.
—, Mochinaga, S., Fukuzawa, M., Ono, N. and Kuroda, T.
Simple and highly sensitive determination of morphine in rat plasma by liquid chromatography with fluorescence detection 121
Haswell, S.J.
— and Howarth, N.
Perturbation of a solid phase separation process by a non-thermal microwave effect 113
Haswell, S.J., see Greenway, G.M. 1
Hattori, H., see Yuchi, A. 189
Hellweg, C.E., see Baumstark-Khan, C. 281
Hirakawa, T., see Suzuki, H. 103
Hobman, J.L., see Corbisier, P. 235
Horneck, G., see Baumstark-Khan, C. 281
Horneck, G., see Rettberg, P. 289
Howarth, N., see Haswell, S.J. 113
Hunt, A.L.
— and Alder, J.F.
Fluorescein mercury(II) acetate and sodium fluorescein as reagents for the determination of bis(2-chloroethyl)sulfide by fluorescence quenching 207

Igarashi, S., see Takahashi, A. 71
Ikebukuro, K., see Ji, H.-S. 39
Ingman, F., see Luque-Pérez, E. 155
Inoue, K., see Ohto, K. 61
Ishii, A., see Kumazawa, T. 53

Ji, H.-S.
—, McNiven, S., Yano, K., Ikebukuro, K., Bornscheuer, U.T., Schmid, R.D. and Karube, I.
Highly sensitive trilayer piezoelectric odor sensor 39
Johansson, G., see Corbisier, P. 235

Karube, I., see Ji, H.-S. 39
Karube, I., see Suzuki, H. 103
Keppler, B.K., see Szpunar, J. 135
Kerl, W., see Becker, J.S. 145
Khayyami, M., see Momeni, N. 21
Kihara, S., see Kitatsuji, Y. 181
Kirowa-Eisner, E., see Bonfil, Y. 85
Kitatsuji, Y.
—, Aoyagi, H., Yoshida, Z. and Kihara, S.
Plutonium(III)-ion selective electrode of liquid membrane type using multidentate phosphine oxide ionophore 181
Korn, M., see Martelli, P.B. 165
Korolczuk, M.
— and Grabarczyk, M.
Voltammetric determination of Cr(VI) in a flow system in the presence of diethylenetriaminepentaacetic acid (DTPA) following its deposition in the metallic state 97
Kumazawa, T.
—, Seno, H., Lee, X.-P., Ishii, A., Watanabe-Suzuki, K., Sato, K. and Suzuki, O.
Extraction of methylxanthines from human body fluids by solid-phase microextraction 53
Kuroda, T., see Hara, S. 121

Larsson, P.-O., see Momeni, N. 21
Lee, X.-P., see Kumazawa, T. 53
Lehtinen, P., see Härmä, H. 11
Li, Q.X., see Liu, M. 29
Liu, M.
—, Li, Q.X. and Rechnitz, G.A.
Flow injection immunosensing of polycyclic aromatic hydrocarbons with a quartz crystal microbalance 29
Lloyd, J.R., see Corbisier, P. 235
Łobiński, R., see Szpunar, J. 135
Lövgren, T., see Härmä, H. 11
Luque-Pérez, E.
—, Ríos, A., Valcárcel, M., Danielsson, L.-G. and Ingman, F.
Analysis of solid samples using supported liquid membranes: a method for the evaluation of the release of nicotine from Swedish snuff 155

Makarov, A., see Szpunar, J. 135
Maquieira, A., see Penalva, J. 227
Marco, M.-P., see Nunes, G.S. 245
Marco, M.-P., see Oubiña, A. 255
Marco, M.-P., see Oubiña, A. 267
Marrazza, G.
—, Chianella, I. and Mascini, M.
Disposable DNA electrochemical biosensors for environmental monitoring 297
Martelli, P.B.
—, Reis, B.F., Korn, M. and Costa Lima, J.L.F.
Automatic potentiometric titration in monosegmented flow system exploiting binary search 165
Mascini, M., see Marrazza, G. 297
Mattiasson, B., see Corbisier, P. 235
McNiven, S., see Ji, H.-S. 39
Mochinaga, S., see Hara, S. 121
Momeni, N.
—, Ramanathan, K., Larsson, P.-O., Danielsson, B., Bengmark, S. and Khayyami, M.
CCD-camera based capillary chemiluminescent detection of retinol binding protein 21
Muñoz, M., see Garcia-Valls, R. 77

Nistor, C.
—, Emnéus, J., Gorton, L. and Ciucu, A.
Improved stability and altered selectivity of tyrosinase based graphite electrodes for detection of phenolic compounds 309
Noguera-Ortí, J.F.
—, Villanueva-Camañas, R.M. and Ramis-Ramos, G.
Direct injection of edible oils as microemulsions in a micellar mobile phase applied to the liquid chromatographic determination of synthetic antioxidants 127
Nunes, G.S.
—, Marco, M.-P., Farré, M. and Barceló, D.
Direct application of an enzyme-linked immunosorbent assay method for carbaryl determination in fruits and vegetables. Comparison with a liquid chromatography–postcolumn reaction fluorescence detection method 245

Ohto, K.
—, Fujimoto, Y. and Inoue, K.
Stepwise extraction of two lead ions with a single molecule of calix[4]arene tetracarboxylic acid 61
Ono, N., see Hara, S. 121
Oubiña, A.
—, Ballesteros, B., Galve, R., Barcelo, D. and Marco, M.-P.
Development and optimization of an indirect enzyme-linked immunosorbent assay for 4-nitrophenol. Application to the analysis of certified water samples 255
Oubiña, A.
—, Barceló, D. and MarcoBarceló, M.-P.
Effect of competitor design on immunoassay specificity: Development and evaluation of an enzyme-linked immunosorbent assay for 2,4-dinitrophenol 267

Penalva, J.
—, González-Martínez, M.A., Puchades, R., Maquieira, A., Pilar Marco, M. and Barceló, D.
Immunosensor for trace determination of Irgarol 1051 in seawater using organic media 227
Petsul, P.H., see Greenway, G.M. 1
Pieper, T., see Szpunar, J. 135
Pilar Marco, M., see Penalva, J. 227
Provoost, A., see Corbisier, P. 235
Ptitsyn, L.R., see Rettberg, P. 289
Puchades, R., see Penalva, J. 227

Ríos, A., see Luque-Pérez, E. 155
Ramanathan, K., see Momeni, N. 21
Ramis-Ramos, G., see Noguera-Ortí, J.F. 127
Rechnitz, G.A., see Liu, M. 29
Reis, B.F., see Martelli, P.B. 165
Rettberg, P.
—, Baumstark-Khan, C., Bandel, K., Ptitsyn, L.R. and Horneck, G.
Microscale application of the SOS-*LUX*-TEST as biosensor for genotoxic agents 289

Sakurai, J., see Yuchi, A. 189
Sasaki, S., see Suzuki, H. 103
Sato, K., see Kumazawa, T. 53
Scherer, K., see Baumstark-Khan, C. 281
Schmid, R.D., see Ji, H.-S. 39
Seno, H., see Kumazawa, T. 53
Suzuki, H.
—, Hirakawa, T., Sasaki, S. and Karube, I.
An integrated three-electrode system with a micromachined liquid-junction Ag/AgCl reference electrode 103
Suzuki, O., see Kumazawa, T. 53
Szpunar, J.
—, Makarov, A., Pieper, T., Keppler, B.K. and Łobiński, R.
Investigation of metallodrug–protein interactions by size-exclusion chromatography coupled with inductively coupled plasma mass spectrometry (ICP-MS) 135

Takahashi, A.
—, Ueki, Y. and Igarashi, S.
Homogeneous liquid–liquid extraction of uranium(VI) from acetate aqueous solution 71
Takalo, H., see Härmä, H. 11
Tatebe, A., see Yuchi, A. 189
Toma, H.E., see Azevedo, C.M.N. 175
Townshend, A., see Ghous, T. 47

Ueki, Y., see Takahashi, A. 71

Valcárcel, M., see Luque-Pérez, E. 155
Valiente, M., see Garcia-Valls, R. 77
van der Lelie, D., see Corbisier, P. 235
Villanueva-Camañas, R.M., see Noguera-Ortí, J.F. 127

Wada, H., see Yuchi, A. 189
Watanabe-Suzuki, K., see Kumazawa, T. 53
Wróbel, K.
—, Wróbel, K., Cruz-Jiménez, G. and Angulo-Romero, F.
Application of internal standard for micro extraction-spectrophotometric determination of copper in serum and in natural waters 217
Wróbel, K., see Wróbel, K. 217

Xiao, D., see Choi, M.M.F. 197

Yano, K., see Ji, H.-S. 39
Yoshida, Z., see Kitatsuji, Y. 181
Yuchi, A.
—, Sakurai, J., Tatebe, A., Hattori, H. and Wada, H.
Performance of arylboronic acids as ionophore for inorganic anions studied by fluorometry and potentiometry 189